


ALWELD

BOATS
LONSDALE, AR



ALWELD


JON BOAT SERIES

Ranging from 10-18', with several seating arrangements, there is sure to be a Jon Boat for you. Our Jons can be used just as they are or can be a base hull for a Custom Rig.




DS Package

Bowseat, 20" Rear Cross Seat, 17" Center Seat



DSLW Package

Bowseat, 20" Rear Cross Seat, 20" Center Seat, Livewell in Center Seat




LA Package

20" Cross Seat, Standard Front Deck, 9" Extension, 2 Seat Bases



SS Package

20" Cross Seat, Bowseat, Aluminum Floor



SSMB Package

20" Cross Seat, 38" Deck
*available in Flats Only.


Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Bowseat	Gauge
Flat Bottoms										
1036 Jon	36"	18"	55"	7.5	2/300	485	160	S	24"	0.080
1236 Jon	36"	18"	55"	15	2/390	624	195	S	24"	0.080
1436 Jon	36"	18"	55"	15	2/390	624	225	S	24"	0.080
1242 Jon	42"	19"	61"	15	2/390	624	225	S	24"	0.080
1442 Jon	42"	19"	61"	25	3/395	745	240	S	24"	0.080
1542 Jon	42"	19"	61"	25	3/395	745	255	S	24"	0.080
1444 Jon	44"	19"	64"	25	3/395	745	285	S	24"	0.080
1544 Jon	44"	19"	64"	25	3/395	745	305	S	24"	0.080
1644 Jon	44"	19"	64"	25	3/395	745	325	S	24"	0.080
1448 Jon	48"	20"	68"	25	3/395	745	315	S	24"	0.100
1548 Jon	48"	20"	68"	40	4/565	1024	335	S	24"	0.100
1648 Jon	48"	20"	68"	40	4/565	1024	360	S	24"	0.100
1552 Jon	52"	22"	72"	40	4/565	1024	365	S	24"	0.100
1652 Jon	52"	22"	72"	40	4/565	1024	385	S	24"	0.100
1752 Jon	52"	22"	72"	60	4/580	1039	410	S	24"	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

Tiller steer boats may carry a lower hp rating


OTHER OPTIONS

Short Transom
 Long Transom
 Extra Long Transom
 Tunnel (Standard 5", for prop)
 Tunnel (Performance 2.5" (for jet or prop)
 Pontoons (non step)
 DS Package
 DSLW Package
 LA Package
 SS Package (Floor Only)
 SSMB Package
 Seat Base In Deck
 Seat Base in Floor (SS Model)
 Seat Base in Seat
 Battery Tray
 Oarlocks
 Trolling Motor Setup
 Paint-Standard
 Bilge Pump
 Light Kit




DS Package

Bowseat, 20" Rear Cross Seat, 17" Center Seat



DSLW Package

Bowseat, 20" Rear Cross Seat, 20" Center Seat, Livewell in Center Seat



LA Package

20" Cross Seat, Standard Front Deck, 9" Extension, 2 Seat Bases



SS Package

20" Cross Seat, Bowseat, Aluminum Floor



Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Bowseat	Gauge
Vee Bottoms										
1242VV Jon	42"	19"	61"	15	2/390	624	210	S	41"	0.080
1442VV Jon	42"	19"	61"	25	3/395	745	225	S	41"	0.080
1542VV Jon	42"	19"	61"	25	3/395	745	235	S	41"	0.080
1642VV Jon	42"	19"	61"	25	3/395	745	250	S	41"	0.080
1444FV Jon	44"	19"	64"	25	3/395	745	265	S	42"	0.080
1544FV Jon	44"	19"	64"	25	3/395	745	285	S	42"	0.080
1644FV Jon	44"	19"	64"	25	3/395	745	305	S	42"	0.080
1844FV Jon	44"	19"	64"	40	4/565	1024	350	S	42"	0.080
1448VV Jon	48"	20"	68"	25	3/395	745	295	S	44"	0.100
1548VV Jon	48"	20"	68"	40	4/565	1024	310	S	44"	0.100
1648VV Jon	48"	20"	68"	40	4/565	1024	335	S	44"	0.100
1848VV Jon	48"	20"	68"	60	4/580	1039	375	S	44"	0.100
1552VV Jon	52"	22"	72"	40	4/565	1024	340	S	41"	0.100
1652VV Jon	52"	22"	72"	40	4/565	1024	360	S	41"	0.100
1752VV Jon	52"	22"	72"	40	4/565	1024	380	S	41"	0.100
1852VV Jon	52"	22"	72"	60	4/580	1039	405	S	41"	0.100


All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

Tiller steer boats may carry a lower hp rating

ALWELD

MARSH SERIES

The Marsh Series is Alweld's most popular model. With 5 layout configurations, length options ranging from 16-18' and additional customization selections, the Marsh Series is our most versatile model.



LF Package

Standard Features:
Pod Seating in Rear
Seat Base on Deck



RD Package

Standard Features:
Rear Deck with Lid
3 Seat Base on Rear Deck
Seat Base on Front Deck



SC Package

Standard Features:
Side Console
Steering/Switch Panel
Lights
Trolling Motor Setup
Seat Base on Front Deck
3 Seat Bases on Rear Deck



PRO Package

Standard Features:
Bass Console
Windshield
Steering/Switch Panel
Lights
Trolling Motor Setup
Seat box with 2 Seats
Seat Base on Front Deck
Seat Base on Rear Deck



CC Package

Standard Features:
Center Console
Windshield
Steering/Switch Panel
Grabrail
Lights
Trolling Motor Setup
Seat Base on Front Deck
Seat Base on Rear Deck

STANDARD FEATURES

Stump Guard Transom
Trim Tabs
Heavy Rails
Front Deck with Storage Hole
Floor Only
Standard Colors
4 Deck Cleats

YAMAHA

MIDRANGE 40 hp
Our 747-cc 40-hp midrange provides powerful performance in a compact package that's available in both propeller- and jet-pump-driven models.

ALWELD BOATS

OTHER OPTIONS

Direct Fill Gas Tank

Bilge Pump

*Light Kit

PRO Pkg Bench Seat (1)

PRO Pkg Clam Shell Seats (2)

PRO Pkg Folding Seats (2)

Seat Pad for LW

2 Clam Shell Seats


2 Fishing Seats

Leaning Post with 34" Cushion

**Standard on SC, PRO and CC*



Livewell Option



Livewell and Rod Box



Deck Extension



Rod Box

Short Transom (n/a on 56-60")

Long Transom

Extra Long Transom

Tunnel (Standard 5", suitable for prop)

Tunnel (Performance 2 1/2", suitable for jet or prop)

Pontoons

T-Rail Gunnel

Locking Deck Storage 14"

Locking Deck Storage 24"

Rod Box

Livewell (Aerated)

Transducer Bracket

*Trolling Motor Setup

Paint Upgrade

Non Skid Interior

Carpet Interior



Model	Flat	Vee	Bottom Width	Side	Beam	HP	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Front Deck	Gauge
1542 Marsh Tiller	Yes	No	42"	20"	61"	25	3/395	745	405	S	47"	0.080
1642 Marsh Tiller	Yes	No	42"	20"	61"	25	3/395	745	430	S	47"	0.080
1742 Marsh Tiller	Yes	No	42"	20"	61"	25	3/395	745	460	S	47"	0.080
1544 Marsh Tiller	Yes	No	44"	20"	64"	25	3/395	745	380	S	47"	0.080
1644 Marsh Tiller	Yes	No	44"	20"	64"	25	3/395	745	405	S	47"	0.080
1744 Marsh Tiller	Yes	No	44"	20"	64"	25	3/395	745	430	S	47"	0.080
1548 Marsh Tiller/Console	Yes	Yes	48"	20"	68"	40	4/565	1024	515	S	47"(44")	0.100
1648 Marsh Tiller/Console	Yes	Yes	48"	20"	68"	40	4/565	1024	565	S	47"(44")	0.100
1748 Marsh Tiller/Console	Yes	Yes	48"	20"	68"	60	4/580	1039	590	S	47"(44")	0.100
1552 Marsh Tiller/Console	Yes	Yes	52"	22"	72"	40	4/565	1024	605	S	47"(41")	0.100
1652 Marsh Tiller/Console	Yes	Yes	52"	22"	72"	60	4/580	1039	585	S	47"(41")	0.100
1752 Marsh Tiller/Console	Yes	Yes	52"	22"	72"	60	4/580	1039	640	S	47"(41")	0.100
1556 Marsh Tiller/Console	Yes	Yes	56"	22"	78"	60	4/580	1039	560	L	47"(41")	0.100
1656 Marsh Tiller/Console	Yes	Yes	56"	22"	78"	60	4/580	1039	600	L	47"(41")	0.100
1756 Marsh Tiller/Console	Yes	Yes	56"	22"	78"	*60/75	4/575	*1039/1203	635	L	47"(41")	0.100
1856 Marsh Tiller/Console	Yes	Yes	56"	22"	78"	*60/90	4/550	*1039/1178	675	L	47"(41")	0.100
1760 Marsh Console	Yes	Yes	60"	24"	82"	90	4/550	1178	695	L	47"(41")	0.100
1860 Marsh Console	Yes	Yes	60"	24"	82"	90	4/550	1178	735	L	47"(41")	0.100
1960 Marsh Console	Yes	Yes	60"	24"	82"	90	4/550	1178	775	L	47"(41")	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

*Tiller models will be rated for lower horsepower.
Front deck in () indicates deck length in Vee Bottom models

ALWELD

INVADER SERIES

Alweld's new Invader Series is built for the serious duck hunter. It's sleek design and rugged construction will ensure you get to your favorite hole fast and in one piece.

Our smaller 48" and 52" bottom boats are perfect for weaving your way through heavy timber, and the larger 56" boats are great for hauling a load or all your hunting buddies.



Hand Rails



Light Bar with Guard



Cubby Storage



Direct Fill Fuel Tank



Stand Up Bar Bracket

STANDARD FEATURES

- Treadplate Bow and Corners
- Pull Tubes
- T-Slot Rail
- Front Deck
- Rear Pod Seating with Storage
- Floor Only
- Trolling Motor Bracket (built in structure of bowplate)

Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Std. Transom	Front Seat	Gauge
1548 Invader	48"	22"	71"	40	4/565	1024	L	41"	0.100
1648 Invader	48"	22"	71"	40	4/565	1024	L	41"	0.100
1748 Invader	48"	22"	71"	60	4/580	1039	L	41"	0.100
1552 Invader	52"	24"	75"	40	4/565	1024	L	41"	0.100
1652 Invader	52"	24"	75"	60	4/580	1039	L	41"	0.100
1752 Invader	52"	24"	75"	60	4/580	1039	L	41"	0.100
1852 Invader	52"	24"	75"	60	4/580	1039	L	41"	0.100
1756 Invader	56"	26"	80"	60	4/580	1039	L	41"	0.100
1856 Invader	56"	26"	80"	75	4/575	1203	L	41"	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.



Open Layout

Model shown with 24" deck extension and Hunt Deck Transom



Gun Box/Gun Tray Layout

Model shown with 24" deck extension, port side gun box, starboard gun tray, switch panel cubbies, direct fill gas tank, seat base on deck and hunt deck transom.



Dual Gun Box Layout

Model shown with 24" deck extension, dual gun boxes, switch panel cubbies, seat base on deck and hunt deck transom.



Livewell/Storage Layout

Model shown with 24" deck extension, port side livewell/storage combo, switch panel cubbies, seat base on deck and hunt deck transom.



Livewell Storage Combo/Gun Box Layout

Model shown with 24" deck extension, port side livewell/storage combo, starboard gun box, switch panel cubbies, 2 seat bases in the floor, seat base on deck and hunt deck transom.

OTHER OPTIONS

VV Marsh Hull (Keeled Bottom)

FV Mud Hull (Smooth Bottom)

Short Transom

Long Transom

Hunt Deck Transom (Long)

Locking Deck Storage Extension (14" or 24")

Installed Seating Options

Seat Bases in Floor (2)

Seat Base on Front Deck

Gun Box

Gun Boxes (Dual)

Gun Tray

Gun Trays (Dual)

Livewell/Storage Combo (Aer)

Spud Pole Holes

Interior NonSkid

Direct Fill Gas Tank

Direct Fill Gas Tank in Bow

Bilge Pump

Light Bar (20") with Guard Lights

Switch Panel/Cubby Storage

Trolling Motor Wire

Cleats (Nylon)

Hand Rails (2 Stern, 2 Bow)

Stand Up Bar



MARSH HULL

The Marsh Invader hull is a 6 degree vee-bottom keeled hull designed for use with an outboard. It provides better handling for tighter turns.

The Mud Invader hull is a flat bottom, vee nose, single keel designed for use with a surface drive.

MUD HULL

ALWELD

MXL SERIES

The MXL has an extra wide aluminum floor similar to the Marsh Series, but is offered in larger sizes. This boat is built with the bass fisherman in mind, offering several console options and all around maneuverability for the fisherman.

The MXL is available in both side and center console packages with options and upgrades to both.



PRO Package

Standard Features:
 Bass Console
 Hydraulic Steering/Switch Panel
 Seat box with 3 Lids
 2 Folding Seats on Seat Box
 Seat Pad for Middle Seat
 Rod Box




CC Package

Standard Features:
 Center Console
 Hydraulic Steering/Switch Panel
 Windshield and Grabrail
 Catwalks with Rod Shelves

STANDARD FEATURES

- Stump Guard Transom
- Heavy Rails
- 44" Rear Deck with Splashpan
- Rear Lid
- Standard Front Deck
- 24" Locking Deck Storage
- 2 Seat Bases
- Floor Only
- Livewell in Rear Deck (Aerated)
- Trolling Motor Bracket
- Standard Colors
- 17 Gallon Fuel Tank
- Bilge Pump
- Gauge Kit (Tach and Fuel)
- Lights
- Trolling Motor Wire
- Hydraulic Steering/Switch Panel
- 4 Deck Cleats




Model shown with passenger console and livewell options

Model shown with livewell and rod box options

Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Front Deck	Gauge
1860VV MXL	60"	24"	84"	115	4/650	1373	1000	L	65"	0.100
1960VV MXL	60"	24"	84"	115	4/650	1373	1055	L	65"	0.100
2060VV MXL	60"	24"	84"	150	6/825	1587	1110	L	65"	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.



OTHER OPTIONS


- Long Transom*
- Extra Long Transom*
- Tunnel (Standard 5", suitable for prop)*
- Tunnel (Performance 2 1/2", suitable for jet or prop)*
- Pontoons*
- T-Rail Gunnel*
- CC Setup*
- PRO Setup*
- Rod Box (Dual for CC)*
- Rod Box (Stbd for PRO)*
- Storage in Front of Console*
- LW (Aer) in Front of Console*
- Transducer Bracket*
- Passenger Console/Windshield*
- Interior NonSkid*
- Interior Carpet*
- Controls*
- Seat Pad*
- 2 Fishing Seats*
- 2 Clam Shell Seats*
- Leaning Post/34" Cushion*




ALWELD

BOWFISH SERIES

The Bowfish Series is quickly becoming a favorite of our customers. With 360° deck surface, you always have the advantage. Large storage in both front and rear decks allow you to carry all the gear you may need.



Console Setup



Front Deck Step



Front Deck Lids

STANDARD FEATURES

- Heavy Boweye
- Trim Tabs
- Heavy Rail
- Pull Tubes (4)
- Rear Bowfish Deck (1 large Rear Lid)
- Rear Deck Rigging Trays
- Front Bowfish Deck (3 Lids on Deck)
- Front Deck Step/Extension (1 Lid)
- Floor and Sides
- Floor Drains (4)
- Rod Tray
- 12" Corner Gussets (2)
- Center Console
- Grabrail
- Windshield
- All Paint Colors (Excluding Camo)
- 27 Gallon Fuel Tank
- Bilge Pump
- Gauge Kit (Tach and Fuel)
- Lights
- Steering/Switch Panel

OTHER OPTIONS

- Tunnel (Std, 5", Prop)
- Tunnel (Perf, 2 1/2", Prop/Jet)
- Pontoons
- Interior NonSkid
- Paint-All Paint Colors (excluding Camo)
- Interior Carpet
- Hydraulic Steering Upgrade
- Controls
- 2 Clam Shell Seats
- 2 Fishing Seats
- Leaning Post/34" Cushion

Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Front Deck	Gauge
1860 Bowfish	60"	28"		115	6/815	1538	1055	20"	72"	0.100
2060 Bowfish	60"	28"		150	6/825	1587	1130	20"	72"	0.100
1870 Bowfish	70"	29"	98"	115	6/815	1538	1230	20"	72"	0.100
2070 Bowfish	70"	29"	98"	150	6/825	1587	1315	20"	72"	0.100
2270 Bowfish	70"	29"	98"	150	6/825	1587	1450	20"	72"	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

ALWELD

CJ SERIES

The CJ Series is our basic panfish model. Ranging from 14'-16', the CJ Series is perfect for fishing around docks and piers on small lakes.



Stick Steer Brackets



Front Deck Storage Hole



Livewell in Seat Box

STANDARD FEATURES

- Trim Tabs
- Front Deck with Storage Hole
- 2 Crappie Seat Boxes
- Aluminum Floor and Sides
- Raw Water Livewell in Rear Box
- Trolling Motor Setup
- Standard Colors
- 4 Deck Cleats

OTHER OPTIONS

- Short Transom
- Long Transom
- Tunnel (Standard 5", suitable for prop)
- Tunnel (Performance 2 1/2", suitable for jet or prop)
- T-Rail Gunnel
- Interior NonSkid
- Interior Carpet
- Aerate Raw Water LW (rear)
- Bilge Pump
- Light Kit
- Stick Steering Installed
- Side Controls

Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Bowseat	Gauge
1436CJ	36"	18"	55"	20	3/395	629	340	S	12"	0.080
1536CJ	36"	18"	55"	20	3/395	629	360	S	12"	0.080
1442CJ	42"	19"	61"	25	3/395	745	380	S	12"	0.080
1542CJ	42"	19"	61"	25	3/395	745	405	S	12"	0.080
1448CJ	48"	20"	67"	25	3/395	745	465	S	12"	0.100
1548CJ	48"	20"	67"	25	3/395	745	500	S	12"	0.100
1648CJ	48"	20"	67"	25	3/395	745	535	S	12"	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

Tiller steer boats may carry a lower hp rating

ALWELD

STK SERIES

The STK Series is our mid-range panfish model. Offered up to 52" wide, the STK series offers stability along with maneuverability. Flat bottoms and vee bottoms are available in 15'-16' lengths.

STANDARD FEATURES


- Trim Tabs
- Rear Lid
- Standard Front Deck
- Floor and Sides
- Stick Steer Brackets
- Throttle Bracket
- Trolling Motor Setup
- Standard Colors
- Bilge Pump
- Lights
- 4 Deck Cleats
- 2 Crappie Seat Boxes (Loose)

OTHER OPTIONS

- Tunnel (Standard 5", suitable for prop)
- Tunnel (Performance 2 1/2", suitable for jet or prop)
- T-Rail Gunnel
- Rod Box
- Livewell (Aerated)
- Interior NonSkid
- Interior Carpet
- Direct Fill Gas Tank
- Stick Steering Installed
- Controls
- 2 Fishing Seats
- 2 Clam Shell Seats
- 2 Fishing Seats
- 2 Clam Shell Seats



Stick Steer Brackets



Front Deck

Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Bowseat	Gauge
Flat Bottoms										
1544STK	44"	19"	64"	25	3/395	745	575	L	12"	0.080
1548STK	48"	20"	68"	40	3/395	854	615	L	12"	0.100
1648STK	48"	20"	68"	40	3/395	854	645	L	12"	0.100
1652STK	52"	20"	72"	60	4/580	1039	670	L	12"	0.100
Vee Bottoms										
1548VSTK	48"	20"	68"	40	3/395	854	535	L	30"	0.100
1648VSTK	48"	20"	68"	60	4/580	1039	570	L	30"	0.100
1652VSTK	52"	20"	72"	60	4/580	1039	595	L	33"	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

Tiller steer boats may carry a lower hp rating

ALWELD

PF SERIES

The PF Series is our deluxe panfish boat. At 52"-56" wide, this boat offers impeccable stability, planes quickly, and is sure to turn heads on the water. Comfort and leisure were designed into this model that is sure to get you to your favorite honey hole.



Tackle Center in Seat



Gauge Panel



Livewell



Livewell and Storage

STANDARD FEATURES

- Splashpan
- Trim Tabs
- Heavy Rails
- Standard Front Deck
- Floor and Sides
- Rod Box
- Tackle Box in Driver Seat
- Starboard Livewell
- Stick Steering Brackets
- Throttle Bracket
- Trolling Motor Setup
- All Paint Colors (excluding camo)
- 10 Gallon Fuel Tank
- Bilge Pump
- Gauge Kit (Tach and Fuel)
- Lights
- 4 Deck Cleats
- 2 Crappie Seat Boxes (loose)

OTHER OPTIONS

- T-Rail Gunnel*
- Interior Non Skid*
- Interior Carpet*
- *Stick Steering Installed*
- Controls*
- 2 Fishing Seats*
- 2 Clam Shell Seats*

**for 75 hp, stick steering must be hydraulic.
Contact dealer for upgrade.*

Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Bowseat	Gauge
1752PF	52"	22"	72"	75	4/575	1203	750	L	36"	0.100
1852PF	52"	22"	72"	75	4/575	1203	800	L	36"	0.100
1856PF	56"	25"	77"	75	4/575	1203	865	L	36"	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

Tiller steer boats may carry a lower hp rating

ALWELD

JC SERIES

The JC Series is our most popular jet model. Made popular on the shallow rivers of Missouri, the JC can handle big engines in skinny water.



STANDARD FEATURES

- Heavy Rails
- 52" Front Deck
- Seat Box
- Floor and Sides
- Locking Deck Storage
- Throttle Bracket
- Trolling Motor Setup
- Bass Console
- Bass Windshield
- Standard Paint
- 16 Gallon Fuel (52")
- 27 Gallon Fuel (57")
- Bilge Pump
- Gauge Kit (T/F)
- Light Kit
- Steering/Switch Panel
- 2 Folding Seats (60")
- Bench Seat (52", 56")
- Seat Pad

OTHER OPTIONS

- Long Transom
- Extra Long Transom
- Heavy Boweye
- Treadplate Bow and Corners
- 2 Extra Knee Braces
- Splashguard
- T-Rail Gunnel
- Rod Box
- Interior NonSkid
- Paint-Exterior Upgrade
- Interior Carpet
- Fuel Tank in Bow
- Yamaha Side Controls
- 2 Clam Shell Seats
- 2 Fishing Seats

Model	Bottom Width	Side Height	Beam	HP Rating	Persons	Max. Weight Cap. (lbs)	Boat Weight (lbs)	Std. Transom	Bowseat	Gauge
Flat Bottoms										
1652JC	52"	22"	74"	90	4/550	1178	895	L	56"	0.100
1752JC	52"	22"	74"	90	4/550	1178	940	L	56"	0.100
1852JC	52"	22"	74"	90	4/550	1178	990	L	56"	0.100
1756JC	56"	25"	78"	130	4/650	1283	975	L	56"	0.100
1856JC	56"	25"	78"	150	6/825	1587	1040	L	56"	0.100
1860JC	60"	25"	83"	150	6/825	1587	1150	L	56"	0.100
1960JC	60"	25"	83"	165	6/825	1587	1215	L	56"	0.100
2060JC	60"	25"	83"	250	6/825	1739	1350	L	56"	0.100
Vee Bottoms										
1860VV JC	60"	25"	83"	150	6/825	1587	1130	L	61"	0.100
1960VV JC	60"	25"	83"	165	6/825	1587	1175	L	61"	0.100
2060VV JC	60"	25"	83"	250	6/825	1739	1320	L	61"	0.100

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

CUSTOM BOATS

Alweld offers an endless number of configurations for custom boats. Whether you use your boat for recreational or commercial purposes, we can help you choose the options that are right for you.

Flat Bottom Custom Sizes Available:

	36"	42"	44"	48"	52"	56"	60"	60"L	66"	70"	70"L
10 FT	•	•	•								
12 FT	•	•	•	•							
14 FT	•	•	•	•	•						
15 FT	•	•	•	•	•	•					
16 FT	•	•	•	•	•	•	•	•	•		•
17 FT	•	•	•	•	•	•	•	•	•	•	•
18 FT	•	•	•	•	•	•	•	•	•	•	•
19 FT	•	•	•	•	•	•	•	•	•	•	•
20 FT	•	•	•	•	•	•	•	•	•	•	•
21 FT				•	•	•	•	•	•	•	•
22 FT				•	•	•	•	•	•	•	•
24 FT					•	•	•	•	•	•	•
26 FT						•	•	•	•	•	•
28 FT						•	•	•	•	•	•

*L designates Low Sides

Vee Bottom Custom Sizes Available:

	42"VV	44"FV	48"VV	52"VV	56"VV	60"VV	70"VV
12 FT	•						
14 FT	•	*	•				
15 FT	•	*	•	•			
16 FT	•	*	•	•	•	•	
17 FT	•	*	•	•	•	•	•
18 FT	•	*	•	•	•	•	•
19 FT	•	*	•	•	•	•	•
20 FT	•	*	•	•	•	•	•
21 FT	•	*	•	•	•	•	•
22 FT	•	*	•	•	•	•	•
24 FT					•	•	•
26 FT					•	•	•
28 FT					•	•	•

*FV represents flat bottom, vee nose

A complete list of custom options can be found at

www.alweld.com

ALWELD DOES NOT SELL FACTORY DIRECT. PLEASE CONTACT DEALER FOR PRICING.

All weights and measurements are approximate. Specifications, standard features and options are subject to change without notice.

COLOR CHART

Standard Colors



Exterior Upgrades



Non Skid Interior



Non Skid can be painted any standard paint color.


Carpet Interior



Colors in this brochure are not guaranteed to match actual color on boat.

ALWELD

Your authorized Alweld dealer



THE FUTURE IS BRIGHT



Alweld is proud to announce we are
100% solar powered.

In late 2019, our plant began the process to decrease our carbon footprint. The addition of 684 solar panels has allowed Alweld to harness the energy of the sun and power our plant using one of the cleanest, most reliable sources available.



AEV | Solar.
Solar Contractors

Special thanks to AEV Solar